

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	70	(398/16).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 09:21
S1	177	398/34.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:13
S2	46	398/28.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 14:26
S3	63	automatic same (path with selection) same (optic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 08:18
S4	344	(transmission with path with select\$3) same optic\$3 and (path with characteristic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 08:21
S5	644	(transmission with path with select\$3) same (opti\$3 with network or system) and (path with characteristic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 08:22
S6	45	(transmission with path with select\$3) same (opti\$3 with network) and (path with characteristic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 10:08
S7	220	(routing with table) same node same (opti\$3 with network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 10:08

EAST Search History

S8	151	(routing with table) with node same (opti\$3 with network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 11:10
S9	9	(routing with table) with node and (398/58.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 10:53
S10	63	(routing with table) with node same (optical with network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 11:11
S11	121	(header or lable or frame or overhead) same ((path or route) with select\$3) same (optical with network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 12:02
S12	0	(header or lable or frame or overhead) same ((path or route) with select\$3) same (optical with network) same track\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 11:59
S13	2	(header or lable or frame or overhead) same ((path or route) same tracking) same (optical with network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 12:01
S14	0	(header or lable or frame or overhead) same ((path or route) same address same stamp\$3) same (optical with network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 12:05
S15	158	(header or lable or frame or overhead) same ((path or route) same address) same (optical with network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 12:01

EAST Search History

S16	64	(header or lable or frame or overhead) same (path or route) same (node with address) same (optical with network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 12:02
S17	16	(header or lable or frame or overhead) same ((path or route) with select\$3) same (optical with network) same (node with address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 12:02
S18	23715	(header or lable or frame or overhead) same ((path or route) same track\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 12:06
S19	9707	(header or lable or frame or overhead) same ((path or route) with track\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 12:06
S20	135	(header or lable or frame or overhead) same ((path or route) with track\$3) and (optical with network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 13:09
S21	8	((path or route) with select\$3) same track\$3 same (optical with network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 16:12
S22	237	(network with (parameters or characteristic)) same (store with node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 13:28
S23	5	(optical with network with (parameters or characteristic)) same (store with node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 13:32

EAST Search History

S24	8	(network with (parameters or characteristic)) same (store with node) same optical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 15:04
S26	88	(route with search\$3 with frame)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 16:09
S27	7	(transmission with route with search\$3 with frame)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 15:04
S28	311	test with (frame or preamble or header or packet) same (path or router) with (search\$3 or select\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 15:24
S29	34	test with (frame or preamble or header or packet) same (path or router) with (search\$3 or select\$3) and (optical with network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 15:25
S30	1	(route with search\$3 with (header or lable)) same (opt\$4 with network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 16:11
S31	1	(route with search\$3 with (header or lable)) same (opt\$4 with network) not S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 16:11
S32	83	((path or route) with (search\$3 or detect\$3 or select\$3)) same trac\$4 same (opt\$4 with network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 09:32

EAST Search History

S33	73	398/57.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 09:57
S34	3	398/57.ccls. and (route with test\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 10:09
S39	24	398/57.ccls. and (route with (select\$3 or detect\$3 or validat\$3 or determining or determination))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 09:58
S40	55	398/57.ccls. and ((route or path) with (select\$3 or detect\$3 or validat\$3 or determining or determination))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 09:59
S41	923	(label with switch\$3) same (route or path) with (search\$3 or establish\$3 or select\$3 or detect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 10:10
S42	118	(opti\$3 with label with switch\$3) same (route or path) with (search\$3 or establish\$3 or select\$3 or detect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 10:27
S43	0	(opti\$3 with label with switch\$3) same (route or path) with (search\$3 or establish\$3 or select\$3 or detect\$3) same (test or evaluation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 10:14
S44	2	(opti\$3 with label with switch\$3) same (route or path) with (search\$3 or establish\$3 or select\$3 or detect\$3) same (test\$3 or evaluat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 10:15

EAST Search History

S45	4	(opti\$3 with label with switch\$3) same (route or path) same (test\$3 or evaluat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 10:18
S46	2	(opti\$3 with label with switch\$3) same ((route or path) with search)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 10:20
S47	16	(opti\$3 with label with switch\$3) same (route or path) with (best or optimum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 10:21
S48	1585	(opti\$3 with (label or frame)) same (route or path) with (setting or search\$3 or establish\$3 or select\$3 or detect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 10:31
S49	910	(opti\$3 with (label or frame)) same (route or path) with (setting or search\$3 or establish\$3 or select\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 10:31
S50	670	(opti\$3 with (label or frame)) same (route or path) with (setting or search\$3 or establish\$3 or select\$3) same optical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 10:31
S51	7	(opti\$3 with (label or frame)) same (route or path) with (setting or search\$3 or establish\$3 or select\$3) same optical same mesh	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 10:32
S52	158	(opti\$3 with (label or frame)) same (route or path) with (setting or search\$3 or establish\$3 or select\$3) same optical with network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 10:48

EAST Search History

S53	45	(test or evaluation) with signal same (route or path) with (select\$3 or search\$3) and (node with table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 11:08
S54	486	(route or path) with (select\$3 or search\$3) same (node with (routing or forwarding) with table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 11:32
S55	56	(optim\$3 with transmission with path) and (node with (routing or forwarding) with table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 11:35
S56	0	(optim\$3 with transmission with path) and (node with (routing or forwarding) with table) same fib\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 11:38
S57	64	(node with (routing or forwarding) with table) same (optical with network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 11:56
S58	32	(node with (routing or forwarding) with table) same (path or route) with (select\$3 or search\$3) same optim\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 16:45
S59	10	(node with (routing or forwarding) with table) same (path or route) with (select\$3 or search\$3) same optim\$2 and optical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:01
S60	97	(node with (routing or forwarding or lookup) with table) same (path or route) with (select\$3 or search\$3) and optical with network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 14:05

EAST Search History

S61	1	"714878".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 14:05
S62	1	(node with (routing or forwarding or lookup) with table) same (path or route) with optim\$2 same (optical with network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 16:46
S63	139	(node with (routing or forwarding or lookup) with table) same (path or route) with optim\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 16:47
S64	19	(node with (routing or forwarding or lookup) with table) same (path or route) with optim\$2 and (optical with network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 16:47